

Crafter'sChoice®		Page: 1
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

29 CFR 1910.1200 (OSHA HazCom 2012)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product name **Preservative - Water Soluble**

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Preservative
Personal care

Details of the supplier of the safety data sheet:

Crafter's Choice Brands, LLC
7820 E. Pleasant Valley Road
Independence, Ohio 44131
Phone: 1-800-908-7028
www.Crafters-Choice.com

Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+ **(813) 248-0585** International

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Eye irritation : Category 2A

GHS Label element

Hazard pictograms :



Signal Word : Warning

Hazard Statements : Causes serious eye irritation.

Precautionary Statements : **Prevention:**
Wash skin thoroughly after handling.
Wear eye protection/ face protection.
Response:
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.

Crafter'sChoice®		Page: 2
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

If eye irritation persists: Get medical advice/ attention.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Classification	Concentration (%)
DIAZOLIDINYL UREA	78491-02-8	Eye Irrit. 2A; H319	30.10

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
- In case of eye contact : Immediately flush eye(s) with plenty of water.
Remove contact lenses.
Protect unharmed eye.
- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Causes serious eye irritation.
- Notes to physician : No hazards which require special first aid measures.

Crafter'sChoice®		Page: 3
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO₂)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : carbon dioxide and carbon monoxide
organic compounds
Carbon dioxide (CO₂)
phenols
toxic fumes
- Specific extinguishing methods :

Product is compatible with standard fire-fighting agents.
- Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Version: 1.1

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

Other information : Comply with all applicable federal, state, and local regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
impervious clothing
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

SAFETY DATA SHEET

Revision Date: 11/07/2016

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Version: 1.1

Wear resistant gloves (consult your safety equipment supplier).

Hygiene measures : Wash hands before breaks and at the end of workday.
When using do not eat or drink.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : liquid

Color : clear

Odor : characteristic, mild

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Boiling point/boiling range : 369.0 °F / 187.2 °C

Flash point : 219.9 °F / 104.4 °C

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : 0.2926 hPa (20 °C)

Relative vapour density : No data available

Relative density : No data available


Density : 1.18 g/cm³

Solubility(ies)
Water solubility : 15 g/l (25 °C)

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Thermal decomposition : No data available

	Page: 6
SAFETY DATA SHEET	Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com	Version: 1.1

Viscosity
Viscosity, dynamic : No data available
Viscosity, kinematic : No data available
Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.
Chemical stability : Stable under recommended storage conditions.
Possibility of hazardous reactions : Product will not undergo hazardous polymerization.
Conditions to avoid : Excessive heat
Exposure to sunlight.
Exposure to moisture
Incompatible materials : Isocyanates
Strong acids
Strong bases
Strong oxidizing agents
UV light.
Hazardous decomposition products : carbon dioxide and carbon monoxide
phenols
toxic fumes

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Eye Contact
Ingestion

Acute toxicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:

Acute oral toxicity : LD 50 (Rat): > 2,000 mg/kg

Acute dermal toxicity : LD 50 (Rabbit): > 2,000 mg/kg

7820 E. Pleasant Valley Road
 Independence, OH 44131
 (800) 908-7028
 www.crafters-choice.com

Version: 1.1

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: May cause skin irritation in susceptible persons.

Components:

DIAZOLIDINYL UREA:

Result: Not irritating to skin

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Remarks: Vapors may cause irritation to the eyes, respiratory system and the skin., Causes serious eye irritation.

Components:

DIAZOLIDINYL UREA:

Result: Irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:

DIAZOLIDINYL UREA:

Test Type: Maximisation Test (GPMT)

Species: Guinea pig

Assessment: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:

Genotoxicity in vitro : Test Type: Ames test
 Metabolic activation: with and without metabolic activation
 Result: negative

: Test Type: Chromosome aberration test in vitro
 Metabolic activation: with and without metabolic activation
 Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
 Test species: Mouse (male and female)
 Application Route: Oral
 Method: Mutagenicity (micronucleus test)
 Result: negative

Application Route: Oral
 Method: OECD Test Guideline 486
 Result: negative

Carcinogenicity

Not classified based on available information.

Crafter'sChoice®		Page: 8
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

Reproductive toxicity

Not classified based on available information.

Components:

DIAZOLIDINYL UREA:

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Dose: 500 milligram per kilogram

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

DIAZOLIDINYL UREA:

Species: Rat, male and female
NOEL: 200 mg/kg
Application Route: Oral
Exposure time: 90-day

Aspiration toxicity

Not classified based on available information.

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

Carcinogenicity:

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

DIAZOLIDINYL UREA:

Toxicity to fish : LC 50 (Fish): > 100 mg/l

Crafter'sChoice®		Page: 9
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 58 mg/l
Exposure time: 48 h
Test Type: flow-through test

Toxicity to algae : ErC50 (Green algae (Selenastrum capricornutum)): 5.78 mg/l
End point: EC 50
Exposure time: 72 h
Test Type: Growth inhibition
Analytical monitoring: yes

Persistence and degradability

Components:

DIAZOLIDINYL UREA:

Biodegradability : Biodegradation: 24 %
Exposure time: 28 d
Remarks: Not readily biodegradable.

Stability in water : Degradation half life(DT50): 12 h (20.4 °C) pH: 7

Bioaccumulative potential

Components:

DIAZOLIDINYL UREA:

Bioaccumulation : Remarks: The substance has low potential for bioaccumulation.

Partition coefficient: n-octanol/water : log Pow: 0.9 (20 °C)

Mobility in soil

Components:

DIAZOLIDINYL UREA:

Distribution among environmental compartments : Adsorption/Soil
Medium: Soil
Koc: < 2

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal., Toxic to aquatic life.

Components:

DIAZOLIDINYL UREA:

Results of PBT and vPvB assessment : This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

SAFETY DATA SHEET

Revision Date: 11/07/2016

7820 E. Pleasant Valley Road
Independence, OH 44131
(800) 908-7028
www.crafters-choice.com

Version: 1.1

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

General advice : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International transport regulations

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

SAFETY DATA SHEET

Revision Date: 11/07/2016

7820 E. Pleasant Valley Road
 Independence, OH 44131
 (800) 908-7028
 www.crafters-choice.com

Version: 1.1

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

***ORM = ORM-D, CBL = COMBUSTIBLE LIQUID**

Marine pollutant	no
------------------	----

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

SECTION 15. REGULATORY INFORMATION

SARA 311/312 Hazards : Acute Health Hazard

US State Regulations

Pennsylvania Right To Know

PROPYLENE GLYCOL	57-55-6	50.00 - 70.00
------------------	---------	---------------

The identity of one or more component(s) is being withheld under business confidentiality.

DIAZOLIDINYL UREA	78491-02-8	30.00 - 50.00 %
-------------------	------------	-----------------

METHYL PARABEN	99-76-3	10.00 - 20.00 %
----------------	---------	-----------------

PROPYL PARABEN	94-13-3	1.00 - 5.00 %
----------------	---------	---------------

New Jersey Right To Know

SAFETY DATA SHEET

Revision Date: 11/07/2016

 7820 E. Pleasant Valley Road
 Independence, OH 44131
 (800) 908-7028
 www.crafters-choice.com

Version: 1.1

PROPYLENE GLYCOL 57-55-6 50.00 - 70.00

The identity of one or more component(s) is being withheld
 under business confidentiality.

DIAZOLIDINYL UREA 78491-02-8 30.00 - 50.00 %

METHYL PARABEN 99-76-3 10.00 - 20.00 %

PROPYL PARABEN 94-13-3 1.00 - 5.00 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

- TSCA : On TSCA Inventory
- DSL : All components of this product are on the Canadian DSL.
- AUSTR : On the inventory, or in compliance with the inventory
- ENCS : see user defined free text
- KECL : On the inventory, or in compliance with the inventory
- PICCS : On the inventory, or in compliance with the inventory
- IECSC : On the inventory, or in compliance with the inventory

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECL (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

Crafter'sChoice®		Page: 13
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

SECTION 16. OTHER INFORMATION

Further information

Revision Date: 11/07/2016

NFPA:	HMIS III:						
<p>Flammability</p> <p>Health</p> <p>Instability</p> <p>Special hazard.</p>	<table border="1"> <tr> <td>HEALTH</td> <td>2</td> </tr> <tr> <td>FLAMMABILITY</td> <td>1</td> </tr> <tr> <td>PHYSICAL HAZARD</td> <td>0</td> </tr> </table> <p>0 = not significant, 1 =Slight, 2 = Moderate, 3 = High 4 = Extreme, * = Chronic</p>	HEALTH	2	FLAMMABILITY	1	PHYSICAL HAZARD	0
HEALTH	2						
FLAMMABILITY	1						
PHYSICAL HAZARD	0						

NFPA Flammable and Combustible Liquids Classification

Combustible Liquid Class IIIB

Full text of H-Statements referred to under sections 2 and 3.

H319 Causes serious eye irritation.

The information and recommendations contained herein are believed to be accurate to the best of our knowledge. We make no warranty of any kind, express or implied, concerning the safe use of this material in your process or in combination with other substances.

List of abbreviations and acronyms that could be, but not necessarily are, used in this safety data sheet :

ACGIH : American Conference of Industrial Hygienists

BEI : Biological Exposure Index

CAS : Chemical Abstracts Service (Division of the American Chemical Society).


CMR : Carcinogenic, Mutagenic or Toxic for Reproduction

FG : Food grade

GHS : Globally Harmonized System of Classification and Labeling of Chemicals.

H-statement : Hazard Statement

IATA : International Air Transport Association.

		Page: 14
SAFETY DATA SHEET		Revision Date: 11/07/2016
7820 E. Pleasant Valley Road Independence, OH 44131 (800) 908-7028 www.crafters-choice.com		Version: 1.1

IATA-DGR : Dangerous Goods Regulation by the “International Air Transport Association” (IATA).

ICAO : International Civil Aviation Organization

ICAO-TI (ICAO) : Technical Instructions by the “International Civil Aviation Organization”

IMDG : International Maritime Code for Dangerous Goods

ISO : International Organization for Standardization

logPow : octanol-water partition coefficient

LCxx : Lethal Concentration, for xx percent of test population

LDxx : Lethal Dose, for xx percent of test population.

ICxx : Inhibitory Concentration for xx of a substance

Ecxx : Effective Concentration of xx

N.O.S.: Not Otherwise Specified

OECD : Organization for Economic Co-operation and Development

OEL : Occupational Exposure Limit

P-Statement : Precautionary Statement

PBT : Persistent , Bioaccumulative and Toxic

PPE : Personal Protective Equipment

STEL : Short-term exposure limit

STOT : Specific Target Organ Toxicity

TLV : Threshold Limit Value

TWA : Time-weighted average

vPvB : Very Persistent and Very Bioaccumulative

WEL : Workplace Exposure Level

CERCLA : Comprehensive Environmental Response, Compensation, and Liability Act

DOT : Department of Transportation

FIFRA : Federal Insecticide, Fungicide, and Rodenticide Act

HMIRC : Hazardous Materials Information Review Commission

HMIS : Hazardous Materials Identification System

NFPA : National Fire Protection Association

NIOSH : National Institute for Occupational Safety and Health

OSHA : Occupational Safety and Health Administration

PMRA : Health Canada Pest Management Regulatory Agency

RTK : Right to Know

WHMIS : Workplace Hazardous Materials Information System